

Fish Health Events ( 2006 - Second Quarter )						
DFO SubZone	Species	Life Stage	Veterinary Diagnosis	Count of Fish Health Events <sup>1,2,3</sup>		
				New	Ongoing/Recurring	Relapsing
All	Atlantic Salmon	"Early"	Yersinia ruckeri Infection	2	0	0
All zones <sup>5</sup>	Atlantic Salmon	"Later"	Renibacterium salmoninarum Infection	0	1	0
2-3	Atlantic Salmon	"Later"	Lepeophtheirus Infection	3	0	0
			Myxobacterial Infection	4	0	0
2-4	Atlantic Salmon	"Later"	Myxobacterial Infection	1	0	0
3-1 + 3-2	Atlantic Salmon	"Later"	Lepeophtheirus Infection	3	1	0
			Myxobacterial Infection	2	0	0
3-3	Atlantic Salmon	"Later"	Aeromonas salmonicida Infection	1	0	0
			Lepeophtheirus Infection	2	0	0
			Myxobacterial Infection	3	0	0
			Piscirickettsia salmonis Infection	0	2	0
			Renibacterium salmoninarum Infection	4	0	0
3-4 + 3-5	Atlantic Salmon	"Later"	Lepeophtheirus Infection	2	0	0
			Myxobacterial Infection	2	2	1
			Renibacterium salmoninarum Infection	1	0	0
All zones	Pacific Salmonids	"Early"	Aeromonas hydrophila Infection	0	2	0
			Case worked up but no diagnosis <sup>4</sup>	1	1	0
			Costia Infection	2	0	0
			Fusiform Bacteria Infection	1	0	0
			Myxobacterial Infection	1	0	0
			Saprolegnia Infection	1	0	0
All zones	Pacific Salmonids	"Later"	Renibacterium salmoninarum Infection	0	1	0

#### Notes

- 1 Reporting reflects life stage rather than water type. See notes 1 - 2 of Average Mortality Rate report.
- 2 Counts of veterinary diagnosis are based on FISH GROUP (not site); more than one fish group may exist at a site
- 3 Fish Health Events reflect the following categories:
  - New First time occurrence; new event
  - Ongoing/recurring Repeat or ongoing occurrence from previous calendar quarter
  - Relapsing Repeat occurrence from calendar quarter at least two quarters preceding the current one
- 4 "Case worked up but no diagnosis" category requires workup and management steps taken, e.g., further investigation, husbandry change etc.
- 5 This field has been added to encompass a small number of later lifestage Atlantic salmon (e.g., broodstock) raised in areas other than the subzones shown above.