

Mortality Rates by Cause (2007 - Second Quarter)^{1,2}						
Early Life stages						
DFO SubZone	Species	# Fish Groups	Background Mortality	Systems Related	Fresh	Culls / Quality Control
All Zones	Atlantic salmon	10	2.51%	0.03%	0.03%	0.24%
All Zones	Pacific salmon	20	0.70%	0.70%	0.00%	0.28%

Mortality Rates by Cause (2007 - Second Quarter)									
Later Life stages									
DFO SubZone	Species	# Fish Groups	Environmental	Fresh "Silvers"	Handling / Transport	Matures	Old	Poor Performers	Predators
All Zones	Atlantic salmon	139	5.30%	0.01%	0.97%	0.41%	0.48%	0.86%	0.25%
2-3	Atlantic salmon	28	0.02%	0.17%	0.01%	0.01%	0.11%	0.11%	0.07%
2-4	Atlantic salmon	21	0.22%	0.00%	0.05%	0.00%	0.08%	0.05%	0.02%
3-1 + 3-2	Atlantic salmon	25	0.00%	0.10%	0.36%	0.00%	0.17%	0.07%	0.07%
3-3	Atlantic salmon	38	0.05%	0.15%	0.02%	0.03%	0.17%	0.06%	0.03%
3-4 + 3-5	Atlantic salmon	19	0.01%	0.08%	0.15%	0.00%	0.26%	0.03%	0.03%
All Zones	Pacific salmon	20	0.04%	0.69%	0.11%	0.06%	0.34%	0.15%	0.27%

Notes

1 See notes for Average Mortality Rate report

2 Sum of individual Proportional Mortality Rates reconciles to Average Mortality Rate to 0.005% (rounding errors)