

Average Mortality Rate ( Quarter 1 2009 )					
Fish Health SubZone	Species	Life stages	# Fish Group	# Site	Rate
All Zones	Atlantic salmon	"Early"	17	11	5.11%
2-3	Atlantic salmon	"Later"	13	13	0.61%
2-4	Atlantic salmon	"Later"	11	11	0.35%
3-1 + 3-2	Atlantic salmon	"Later"	18	18	0.73%
3-3	Atlantic salmon	"Later"	24	19	1.19%
3-4 + 3-5	Atlantic salmon	"Later"	12	11	0.50%
All Zones <sup>4</sup>	Atlantic salmon	"Later"	78	72	0.76%
All Zones	Pacific salmon	"Early"	96	15	1.49%
All Zones	Pacific salmon	"Later"	28	10	1.39%

**Notes**

1 Rate figures are aggregate weighted averages (agreed to with BC MAFF April 25, 2003)

2 Definitions for lifestages:

"Early"	Eyed Egg -->	Alevin / Larvae / Fry -->	Pre-smolt (= parr)
"Later"	Smolt -->	Grow-out / Harvest (= immature adult) Broodstock -->	Spent/Post-Spawn (public facilities) -->

3 The following participants' data are in the system for this quarter	Companies/ participants not yet on the system	Data in the system for this quarter but may be incomplete
Creative Salmon	AgriMarine Industries	Fisheries and Oceans Canada
Grieg Seafoods	Omega Pacific	
Heritage Salmon	Saltstream Engineering	
Marine Harvest Canada/ Stolt Seafarms	Totem Oysters	
Mainstream (Pacific National Aquaculture)	Yellow Island Aquaculture	
Panfish Canada (Omega Salmon Group)		
Target Marine Products	Freshwater Fisheries Society of BC	
West Coast Fish Culture	(some data in the system)	

4 This field has been added to encompass a small number of later lifestage Atlantic salmon (e.g., broodstock) raised in areas other than the subzones shown above.